

Juniata County has a moderate risk profile. Radon is detected in ~100% of wells, driven by geological sources. Contamination is often invisible — testing is the only way to confirm your well's safety.

41%

HOUSEHOLDS ON PRIVATE WELLS

Varies

PRIMARY AQUIFER TYPE

MODERATE

OVERALL RISK LEVEL

YOUR TOP WATER QUALITY RISKS

CONTAMINANT	HOW COMMON	RISK LEVEL	SOURCE & CONTEXT
Radont	~100% of wells	Advisory	Geological — Radioactive gas dissolved from uranium-bearing rock
Iron*	~75% of wells	Moderate	Geological — Common in glacial and alluvial aquifers; staining and taste
PFOS	~4% above limit	Moderate	Industrial — Firefighting foam and industrial discharge
Fluoride	~50% of wells	Low-Moderate	Geological — Naturally elevated in some deep or volcanic aquifers
Uranium	~67% of wells	Low-Moderate	Geological — Naturally occurring in granitic and sedimentary bedrock

* Secondary standard — an aesthetic limit for taste, odor, or staining. Not a health-based EPA limit.

† No finalized EPA primary MCL. Figure shows detection frequency, not regulatory exceedance.

WHAT TO DO NEXT

- Order a water test.**
Test for Radon, Iron, PFOS, Fluoride, coliform bacteria. Bacteria annually; others every 3–5 years.
- Get your free county report.**
See full data, treatment options, and certified labs at <https://yourwaterreport.com/states/pa/juniata-county/>
- Upload your lab results.**
We'll interpret them, flag anything above limits, and recommend next steps — free.

KNOW YOUR WELL

Well age / year drilled _____

Last water test date _____

Treatment systems installed _____

Well driller / service contact _____

WHAT YOUR RESULTS MEAN

Use this to interpret your lab report — match the contaminant to your result.

IF YOUR TEST SHOWS	WHAT IT MEANS	CONSIDER
Bacteria detected	Immediate concern	Shock chlorination; add UV system
Radon > 4,000 pCi/L	EPA proposed limit; also affects indoor air	Aeration system; test indoor air
Iron > 0.3 mg/L	Staining, taste — aesthetic issue	Oxidizing iron filter
PFOS detected	Health advisory level	Reverse osmosis filter
Fluoride > 4 mg/L	EPA limit exceeded — skeletal risk	RO filter or activated alumina
Uranium > 30 µg/L	EPA limit exceeded — kidney risk	Reverse osmosis or ion exchange

WHO SHOULD USE THIS

- Homeowners on private wells — not covered by public water testing
- Home buyers doing due diligence before closing
- Families with infants, elderly, or immunocompromised members
- Anyone who hasn't tested their well in the past 3 years

LOCAL RESOURCES

Water Testing | Department of Environmental Protection - PA.GOV
<https://www.pa.gov/agencies/dep/residents/my-water/private-wells/water-testing>
 Full county report
<https://yourwaterreport.com/states/pa/juniata-county/>

Free personalized well water report at
<https://yourwaterreport.com/states/pa/juniata-county/>

Data: EPA ECHO · USGS NWIS · Water Quality Portal · U.S. Census ACS
For informational purposes only. Contact a licensed professional for testing and treatment.